Disabil Rehabil Assist Technol Downloaded from informahealthcare.com by University of Brighton on 07/07/11 For personal use only.



 $AM \begin{bmatrix} 0 \\ 0 \end{bmatrix} = \begin{bmatrix} 2 \\ 0 \end{bmatrix} = \begin{bmatrix}$

.

Methods

E A K _ K _ K _ L K B; K, KKKK H K _ K _ K _ ? E _ CK ?

ŀ.

* ***** *

A K 2 25% 25% 25% 4KK _ 4KK _ 4K 2 K 0.9.

* *

•K 2 | . . . 2 _ _ . . -. 2 _ _ 2 | y . _ •K 2 | •K | 2 _

, + - +

A. 2.2 K K K = KA. 2.2 K K = KA. 2.2 K K = KA. 2.4 K K = KA. 3.4 K K = KA. 4.4 K K = KA. • • K? _ _I / _ / AK

* * *

.

Results



	II. M 22	¶K → 2 J·		
	J	В -	7	
D	,	-421. 3.5(59()-	y y 44	2 .)-335.1(I)2

- 1999;3:53 70. 16. M G? K J. K . -2 K . -2
- 83:1777 1782.
- 83:1777 1782. 18. I _J, E__G, __. F ?_K . A? ____ M _____1999;80:173 178. 19. G ? EL, ___? B, A__ | K. K. K ? : 2^{-y} ? K ____? K K | ____ K K ? : 2002;33:1327 G, K IL DH9((8 95.87(,)-60. D (16.2 | 30)-5 | (KK (16. ? ?79.3 |) L(___ KK (18(| 303 (16(_) J1.